WEST

Freeform Search

Database:	US Patents Full-Text Database. US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins ▲							
Term:	ll and remote\$3 monitor\$4 near5 (person or individual) ▼							
Display:	Documents in Display Format: TI Starting with Number 1							
Generate: ○ Hit List Hit Count ○ Side by Side ○ Image								
·	Search Clear Help Logout Interrupt Main Menu Show S Numbers Edit S Numbers Preferences Cases							

Search History

DATE: Wednesday, October 15, 2003 Printable Copy Create Case

Set Nam	<u>e Query</u>	Hit Count	Set Name
side by sid	<u>e</u>		result set
DB=U	SPT; PLUR=YES; OP=ADJ		
<u>L3</u>	11 and remote\$3 monitor\$4 near5 (person or individual)	10	<u>L3</u>
<u>L2</u>	11 and remote\$3 monitor\$4	93	<u>L2</u>
<u>L1</u>	((600/300)!.CCLS.)	808	<u>L1</u>

END OF SEARCH HISTORY

WEST

Generate Collection

L3: Entry 2 of 10

File: USPT

STATE

ZIP CODE

Nov 26, 2002

COUNTRY

US-PAT-NO: 6485418

DOCUMENT-IDENTIFIER: US 6485418 B2

TITLE: Health monitoring system

DATE-ISSUED: November 26, 2002

INVENTOR-INFORMATION:

NAME CITY

Yasushi; Mitsuo Tokyo JP Yanaqidaira; Masatoshi Tokyo JP

US-CL-CURRENT: 600/300; 128/903, 128/920, 600/301, 600/515

ABSTRACT:

A health monitoring system for communication between at least one terminal-device that moves with a person whose health is monitored and a first center device. The terminal device detects health parameters of the person, and diagnoses of the condition of health of the person in accordance with a result of the detection, and transmits the result of the diagnosis to the first center device. The first center device stores the historical diagnosis information concerning the person, receives the result of the diagnosis from the terminal device, judges whether detailed data concerning the condition of health of the person is needed in accordance with the result of the diagnosis and the historical diagnosis information, and issues a request command of the detailed data to the terminal device when it judges that the detailed data is needed.

6 Claims, 11 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 10

5377189

07/077-3~3



(12) United States Patent Lucas

(10) Patent No.:

US 6,221,010 B1

(45) Date of Patent:

Apr. 24, 2001

(54) HOME MEDICAL SUPERVISION AND MONITORING SYSTEM

(76) Inventor: Donald A. Lucas, 16300 Elm Rd., Maple Grove, MN (US) 55311

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 09/347,348

(56) References Cited

U.S. PATENT DOCUMENTS

5,440,301	*	8/1995	Evans 34	0/870.11
5,696,492	*	12/1997	Sakamaki et al	340/573
5,785,650	*	7/1998	Akasaka et al	600/300
5,911,132	٠	6/1999	Sloane	600/300
5,954,641	*	9/1999	Kehr et al	600/300
5,967,975	*	10/1999	Ridgeway	600/300
			* .	

^{*} cited by examiner


Primary Examiner-Max Hindenburg


(57) ABSTRACT

A home medical supervision and monitoring system with computer-controlled base station provides medical supervision of an individual and controls medical monitoring, environmental, and safety devices. Modular electronic components, a real-time operating system and multilevel application software provide decision-making choices to inform a monitoring service or the like if a medical crisis is occurring or an adverse environmental or safety condition exists.

Subsystems include medical monitoring devices to control and monitor specific medical conditions. If a crisis is detected, predefined physician instructions are implemented. A daily medical supervision subsystem records messages to be played back at preset intervals to supervise the individual's daily medical, safety or environmental activities under control of application software. A personal distress call subsystem can contact a monitoring service by pushing a distress button or by voice activating a communication circuit via a speaker telephone. Safety and environmental sensing devices such as motion, fire, smoke, etc., detect abnormal conditions and notify the base station while an archiving subsystem collects and processes information on a hard drive for later retrieval. The system has an optional medication-dispensing cabinet that will open a compartment at a prescribed time containing prescribed medication.

8 Claims, 6 Drawing Sheets





AU 3736

CP3

41) 17